

TECHNICAL INFORMATION

LÂMPADA LED A60

7W 3000K E27

Lâmpada de design clássico com elevada eficiência e ângulo de abertura de 230°.

Classic design lamp with high efficiency and 230° beam angle.

Lámpara de diseño clásico con alta eficiencia y haz de luz de 230°.

ILAR-00401



REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Lamp type	A60	Diameter	Ø60mm	Total Luminous Flux	610
Lamp Base	E27	length	108mm	Luminous Efficacy	90lm/W
Nominal Lifetime (EOL end of life)	15000h	Weight	30g	Beam Angle	230
Switching Cycle (times)	10000			Colour Temperature	3000 K
Dimmable	No			Colour Rendering Index	80
Mercury Free	Yes			Colour Consistency	<= 6

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Power Rated	7W	Energy Label	A+	LM80	YES
Equivalent Wattage	11W	Energy Consumption KWH/1000H	7 kWh	TM21	YES
Lamp Current	65mA				
Nominal Voltage	220-240V				
Operating Frequency	50-60Hz				
Power Factor	0.5				
Starting Time	0.2s				
Warm-up Time (60%)	0.2s				
Operating Temperature	-20°C to +40°C				

SIZE	BEAM ANGLE

Designed by Aron Light in Portugal. Made in PRC



TECHNICAL INFORMATION

LÂMPADA LED A60

7W 4000K E27

Lâmpada de design clássico com elevada eficiência e ângulo de abertura de 230°.

Classic design lamp with high efficiency and 230° beam angle.

Lámpara de diseño clásico con alta eficiencia y haz de luz de 230°.

ILAR-00402



REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Lamp type	A60	Diameter	Ø60mm	Total Luminous Flux	620
Lamp Base	E27	length	108mm	Luminous Efficacy	90lm/W
Nominal Lifetime (EOL end of life)	15000h	Weight	30g	Beam Angle	220
Switching Cycle (times)	10000			Colour Temperature	4000 K
Dimmable	No			Colour Rendering Index	80
Mercury Free	Yes			Colour Consistency	<= 6

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Power Rated	7W	Energy Label	A+	LM80	YES
Equivalent Wattage	11W	Energy Consumption KWH/1000H	7 kWh	TM21	YES
Lamp Current	65mA				
Nominal Voltage	220-240V				
Operating Frequency	50-60Hz				
Power Factor	0.5				
Starting Time	0.2s				
Warm-up Time (60%)	0.2s				
Operating Temperature	-20°C to +40°C				

SIZE	BEAM ANGLE

Designed by Aron Light in Portugal. Made in PRC



TECHNICAL INFORMATION

LÂMPADA LED A60

7W 6500K E27

Lâmpada de design clássico com elevada eficiência e ângulo de abertura de 230°.

Classic design lamp with high efficiency and 230° beam angle.

Lámpara de diseño clásico con alta eficiencia y haz de luz de 230°.

ILAR-00403



REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Lamp type	A60	Diameter	Ø60mm	Total Luminous Flux	630
Lamp Base	E27	length	108mm	Luminous Efficacy	90lm/W
Nominal Lifetime (EOL end of life)	15000h	Weight	30g	Beam Angle	220
Switching Cycle (times)	10000			Colour Temperature	6500 K
Dimmable	No			Colour Rendering Index	80
Mercury Free	Yes			Colour Consistency	<= 6

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Power Rated	7W	Energy Label	A+	LM80	YES
Equivalent Wattage	11W	Energy Consumption KWH/1000H	7 kWh	TM21	YES
Lamp Current	65mA				
Nominal Voltage	220-240V				
Operating Frequency	50-60Hz				
Power Factor	0.5				
Starting Time	0.2s				
Warm-up Time (60%)	0.2s				
Operating Temperature	-20°C to +40°C				

SIZE	BEAM ANGLE

Designed by Aron Light in Portugal. Made in PRC

