

TECHNICAL INFORMATIONS

APLIQUE NATAN

SIMPLES GU10

Linha de Projetores Orientáveis para lâmpadas GU10.

Línea de Projectores orientables para lámparas GU10.

GU10 Lamp orientable Projector product line.




ILAR-00885

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-00885	Lenght	107mm	Total Luminous Flux	-
Bulb	Only GU10 / Lamps not included	Width	110mm	Luminous Efficacy	-
Mounting Type	Surface	Height	90mm	Beam Angle	-
Body Material	Aluminium	Weight	-	Colour Temperature	-
Housing Colour	White	Cutout	-	Colour Rendering Index	-
Body Shape	-	Packaging Unit	1	Colour Consistency	-
Nominal Lifetime (EOL end of life)	-	Gross Weight	-	UGR	-
Dimmable	No	Volume	-		

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	Max. 7W	Energy Label	A+	2014/30/EU (EMC Directive)	YES
Nominal Voltage	110-220V	Energy Consumption KWH/1000H	-	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Type of Protection	IP20	ROHS	YES
Power Factor	-	Protection Class	Class I	ENEC	-
Operating Temperature	- 30°C to + 40°C	Protecion Class IK (shock resistance)	IK06	Warranty	3 YEARS
Starting Time 100% ON	-				
ON/OFF Cycles	-				

SIZE



Designed by Aronlight in Portugal. Made in PRC



TECHNICAL INFORMATIONS

APLIQUE NATAN

SIMPLES GU10

Linha de Projetores Orientáveis para lâmpadas GU10.

Línea de Projectores orientables para lámparas GU10.

GU10 Lamp orientable Projector product line.




ILAR-00893

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-00893	Lenght	107mm	Total Luminous Flux	-
Bulb	Only GU10 / Lamps not included	Width	110mm	Luminous Efficacy	-
Mounting Type	Surface	Height	90mm	Beam Angle	-
Body Material	Aluminium	Weight	-	Colour Temperature	-
Housing Colour	Black	Cutout	-	Colour Rendering Index	-
Body Shape	-	Packaging Unit	1	Colour Consistency	-
Nominal Lifetime (EOL end of life)	-	Gross Weight	-	UGR	-
Dimmable	No	Volume	-		

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	Max. 7W	Energy Label	A+	2014/30/EU (EMC Directive)	YES
Nominal Voltage	110-220V	Energy Consumption KWH/1000H	-	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Type of Protection	IP20	ROHS	YES
Power Factor	-	Protection Class	Class I	ENEC	-
Operating Temperature	- 30°C to + 40°C	Protecion Class IK (shock resistance)	IK06	Warranty	3 YEARS
Starting Time 100% ON	-				
ON/OFF Cycles	-				

SIZE



Designed by Aronlight in Portugal. Made in PRC

