

Duplo Isolamento



## CARACTERÍSTICAS GERAIS

- Complies with EN 60670-1
- For flush mounting
- Made from thermoplastic insulating material
- Color: white RAL 9010
- Inputs/outputs: flexible cables and smooth or corrugated pipes
- Class II insulation in version with cover
- Protection rating IP20 (IP40 with cover), IK07
- Halogen-free

## CARACTERÍSTICAS TÉCNICAS

<b>Brand</b>	TEV
<b>Icons</b>	IP20, IK07, RAL9010, Duplo Isolamento
<b>Cor</b>	No
<b>EF000003 - Mounting method</b>	Concrete building
<b>EF000051 - Shape</b>	Octagonal
<b>EF000767 - Construction type</b>	Cable junction box
<b>EF000010 - Model</b>	Single
<b>EF009204 - Provided with revolving ring</b>	false
<b>EF001229 - Connectable</b>	true
<b>EF000557 - Equipped with</b>	None
<b>EF000551 - Diameter</b>	69 mm
<b>EF000049 - Depth</b>	44,2 a 44,2 mm
<b>EF004508 - Mounting switching equipment</b>	Screwing
<b>EF005066 - With screws</b>	false
<b>EF009763 - Housing feed-through by break-out opening</b>	true
<b>EF009206 - Housing feed-through by seal membrane</b>	false
<b>EF009207 - Housing feed-through by nozzle</b>	false
<b>EF009208 - Housing feed-through by step membrane</b>	false
<b>EF005496 - For tube diameter</b>	20 mm
<b>EF005466 - Suitable for cable diameter</b>	1,5 a 2,5 mm
<b>EF005657 - Pipe locking</b>	false
<b>EF009209 - Pipe locking optional</b>	false
<b>EF005604 - Inlet from the rear</b>	true
<b>EF003593 - Number of inlets</b>	8
<b>EF002169 - Material</b>	Plastic
<b>EF000025 - Halogen free</b>	true
<b>EF000139 - Surface protection</b>	Untreated
<b>EF000007 - Colour</b>	White
<b>EF005474 - Degree of protection (IP)</b>	IP20
<b>EF009212 - Cover model</b>	None
<b>EF011401 - Transparent cover</b>	false
<b>EF004586 - Cover attachment</b>	Screwed
<b>EF001454 - Sealable</b>	false
<b>EF001613 - Circuit integrity</b>	None
<b>EF005032 - With screening</b>	false
<b>EF005430 - Air tight</b>	false

<b>EF004969 - Max. conductor cross section</b>	2,5 mm <sup>2</sup>
--	---------------------

<b>EF004902 - Luminaire hook mounting</b>	false
---	-------

<b>EF008076 - Nozzle</b>	Other
--------------------------	-------

<b>EF005060 - With nail lugs</b>	false
----------------------------------	-------

<b>EF006205 - Special application</b>	None
---------------------------------------	------