



TECHNICAL INFORMATIONS

HAIA

10W WHITE 60CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.
 Contemporary decoration lamp with modern design and high luminous efficiency.
 Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02036

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02036	Size	600x40x61x81x132mm	Total Luminous Flux	1340lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	130lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	110°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	White RAL9016			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	10W	Energy Consumption KWH/1000H	10kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP54	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class II	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK03	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC





TECHNICAL INFORMATIONS

HAIA 60CM

10W SILVER 60CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.
 Contemporary decoration lamp with modern design and high luminous efficiency.
 Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02037

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02037	Size	600x40x61x81x132mm	Total Luminous Flux	1340lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	130lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	110°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	Silver RAL9006			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	10W	Energy Consumption KWH/1000H	10kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP54	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class II	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK03	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC



TECHNICAL INFORMATIONS

HAIA 60CM

10W GOLDEN 60CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.
 Contemporary decoration lamp with modern design and high luminous efficiency.
 Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02038

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02038	Size	600x40x61x81x132mm	Total Luminous Flux	1340lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	130lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	110°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	Golden RAL1001			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	10W	Energy Consumption KWH/1000H	10kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP54	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class II	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK03	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC



TECHNICAL INFORMATIONS

HAIA

15W WHITE 90CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.

Contemporary decoration lamp with modern design and high luminous efficiency.

Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02039

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02039	Size	900x40x61x81x132mm	Total Luminous Flux	1950lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	130lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	110°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	White RAL9016			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	15W	Energy Consumption KWH/1000H	15kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP54	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class II	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK03	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC



TECHNICAL INFORMATIONS

HAIA

15W SILVER 90CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.

Contemporary decoration lamp with modern design and high luminous efficiency.

Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02040

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02040	Size	900x40x61x81x132mm	Total Luminous Flux	1950lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	130lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	110°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	Silver RAL9006			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	15W	Energy Consumption KWH/1000H	15kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP54	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class II	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK03	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC

