

TECHNICAL INFORMATIONS

KIRA

10W WHITE 60CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.
 Contemporary decoration lamp with modern design and high luminous efficiency.
 Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02041

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02041	Size	580x41x111x40x285mm	Total Luminous Flux	1180lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	120lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	120°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	White RAL9016			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	10W	Energy Consumption KWH/1000H	10kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP40	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class I	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK08	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC



TECHNICAL INFORMATIONS

KIRA

10W BLACK 60CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.
 Contemporary decoration lamp with modern design and high luminous efficiency.
 Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02042

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02042	Size	580x41x111x40x285mm	Total Luminous Flux	1180lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	120lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	120°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	Black RAL9005			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	10W	Energy Consumption KWH/1000H	10kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP40	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class I	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK08	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC



TECHNICAL INFORMATIONS

KIRA

15W WHITE 90CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.
 Contemporary decoration lamp with modern design and high luminous efficiency.
 Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02043

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02043	Size	860x41x111x40x440mm	Total Luminous Flux	1850lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	120lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	120°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	White RAL9016			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	15W	Energy Consumption KWH/1000H	15kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP40	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class I	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK08	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC





TECHNICAL INFORMATIONS

KIRA

15W BLACK 90CM CCT

Luminária de decoração contemporânea com design moderno e alta eficiência luminosa.
 Contemporary decoration lamp with modern design and high luminous efficiency.
 Lámpara de decoración contemporánea con diseño moderno y alto rendimiento lumínico.




ILAR-02044

REFERENCE		DIMENSION & WEIGHT		PHOTOMETRICAL DATA	
Reference	ILAR-02044	Size	860x41x111x40x440mm	Total Luminous Flux	1850lm
Led Type	SMD	Packaging Unit	Carton box 1 pc	Luminous Efficacy	120lm/w
Mounting Type	Surface mount / Wall mount			Beam Angle	120°
Body Material	PC+Aluminum			Colour Temperature	CCT 3000K-4000K-5700K
Housing Colour	Black RAL9005			Colour Rendering Index	>80
Nominal Lifetime (EOL end of life)	50.000H				
Dimmable	NO				

ELECTRICAL AND OPERATING DATA		ENERGY LABEL & STANDARS		CERTIFICATIONS	
Nominal Wattage	15W	Energy Consumption KWH/1000H	15kWh	2014/30/EU (EMC Directive)	YES
Nominal Voltage	100-240V	Type of Protection	IP40	2014/35/EU (LVD Directive)	YES
Operating Frequency	50/60Hz	Protection Class	Class I	CE	YES
Power Factor	-	Protecion Class IK (shock resistance)	IK08	ROHS	YES
Operating Temperature	-20°C to +45°C			Warranty	3 YEARS
Starting Time 100% ON	0.0001 s				
Power Factor	≥0.9				

SIZE



Designed by Aronlight in Portugal. Made in PRC

