



Compressor HL 260-25 8 bar 2 KM/1.5 kW 206 l/min 24 l

36871



Product details

EAN	8712418433203
Units per product (pcs.)	1
Manufacturer	Airpress Polska Sp. z o.o.
Weight (kg)	22.4 kg
Gross weight (kg)	24 kg
Length (mm)	532 mm (5.32 dm)
Width (mm)	304 mm (3.04 dm)
Height (mm)	575 mm (5.75 dm)
SKU	36871
Drive	Direct driven 1:1
Start	Direct
Motor Type	AC
Cylinder number	1
Number of stages	1
Pump speed (rpm)	2850
Air receiver	Yes
Galvanized tank	No
Workload (labor/rest %)	30/70
Minimum working pressure (bar)	6 bar
Free air delivery (m ³ /h)	12.36 m ³ /h (3.433 dm ³ /s)
Free air delivery at 6 bar (l/min)	85 L/min (1.417 L/s)
Free air delivery at 8 bar (l/min)	70 L/min (1.167 L/s)
Noise level at 4 m (dB(A))	77
Noise level at 7 m (dB(A))	72
Sound volume reduction	No
Connection type	Universal

Number of couplings air connections	2
Number of reducable air connections	2
Ambient temperature (°C)	5°C - 40°C
Oilfree	No
Oil capacity (L)	0.26
Current (A)	6.8
After cooler	Yes
Intercooler	No
Wheels	Yes
Filter with pressure reducer	No
Motor power (hp / kW)	2.0 HP / 1.5 kW
Capacity air receiver (L)	24
Maximum pressure (bar)	8
Intake capacity (l/min)	260 L/min (4.333 L/s)
Free air delivery (l/min)	206 L/min (3.433 L/s)
Noise level at 0 m dB(A)	97
Voltage (V)	230 V / 50 Hz / 1 Ph

Description

Compressor HL 260-25 8 bar 2 HP/1.5 kW 206 l/min 24 l

The HL 260-25 is a compact, oil-lubricated, direct-drive piston mobile compressor, ideal for DIY and workshop applications. Designed for efficiency, durability, and ease of use, this model is perfect for inflating tires, blowing air, and powering light pneumatic tools.

The HL 260-25 has a maximum pressure of 8 bar, making it a versatile tool for most basic tasks. The powerful 2 HP motor ensures efficient performance while maintaining optimal energy consumption. The 24-litre tank of this oil compressor enables convenient short-cycle operation, reducing the frequency of restarts and maintaining stable air pressure. With a duty cycle of 30% operation and 70% rest per hour, it guarantees durability and reliability.

Key Features and Benefits:

Maximum pressure of 8 bar: Suitable for most basic tasks.

2 HP (1.5 kW) motor: Airflow of 206 l/min ensures fast and efficient performance.

24-litre tank: Enables short-cycle operation, reducing downtime for air refills.

30/70 duty cycle: Thoughtful design ensures longevity and stable performance

Mobility: Ergonomic handle and robust wheels allow easy mobility, even on uneven surfaces.

Safety: Motor cover and ventilation system prevent overheating, ensuring safe operation.



Why Choose the HL 260-25?

The 24-litre compressor HL 260-25 is an excellent choice for users seeking a reliable, economical, and versatile unit. Its robust construction guarantees durability, while its ease of operation and minimal maintenance requirements ensure long-term use. Compact and mobile, this 8-bar compressor is ideal for home workshops, garages, or construction sites.

Choose quality and efficiency with the HL 260-25 from Airpress, and benefit from dependable support for your daily tasks!

