



Compressor HL 260-50 8 bar 2 KM/1.5 kW 206 l/min 50 l

36872



Product details

EAN	8712418433210
Units per product (pcs.)	1
Manufacturer	Airpress Polska Sp. z o.o.
Weight (kg)	31.04 kg
Gross weight (kg)	33.6 kg
Length (mm)	745 mm (7.45 dm)
Width (mm)	376 mm (3.76 dm)
Height (mm)	620 mm (6.2 dm)
SKU	36872
Drive	Direct driven 1:1
Start	Direct
Motor Type	AC
Cylinder number	1
Number of stages	1
Pump speed (rpm)	2850
Air receiver	Yes
Galvanized tank	No
Workload (labor/rest %)	30/70
Minimum working pressure (bar)	6 bar
Free air delivery (m ³ /h)	12.36 m ³ /h (3.433 dm ³ /s)
Free air delivery at 6 bar (l/min)	85 L/min (1.417 L/s)
Free air delivery at 8 bar (l/min)	70 L/min (1.167 L/s)
Noise level at 4 m (dB(A))	77
Noise level at 7 m (dB(A))	72
Sound volume reduction	No
Connection type	Universal

Number of couplings air connections	2
Number of reducable air connections	1
Ambient temperature (°C)	5°C - 40°C
Oilfree	No
Oil capacity (L)	0.26
Current (A)	6.8
After cooler	Yes
Intercooler	No
Wheels	Yes
Filter with pressure reducer	No
Motor power (hp / kW)	2.0 HP / 1.5 kW
Capacity air receiver (L)	50
Maximum pressure (bar)	8
Intake capacity (l/min)	260 L/min (4.333 L/s)
Free air delivery (l/min)	206 L/min (3.433 L/s)
Noise level at 0 m dB(A)	97
Voltage (V)	230 V / 50 Hz / 1 Ph

Description

Compressor HL 260-50 8 bar 2 HP/1.5 kW 206 l/min 50 l

The HL 260-50 compressor is a versatile device designed for use at home, in workshops, and in gardens. Featuring a large 50-litre tank and a power output of 2 HP (1.5 kW), this oil compressor combines efficiency, durability, and mobility, providing reliable support for everyday tasks requiring compressed air.

The HL 260-50 has a maximum pressure of 8 bars and ensures a free air delivery rate of 206 l/min. This makes it ideal for a wide range of applications, such as inflating tyres, cleaning, blowing, or powering pneumatic tools. With a robust construction and intuitive controls, this mobile compressor will meet the expectations of both DIY enthusiasts and professionals.

The HL 260-50 compressor operates on a work/rest ratio of 30/70 (30% work and 70% rest per hour), ensuring stable long-term operation. The 230 V supply makes it compatible with domestic electrical installations, while its solid construction guarantees long-term reliability.

Main Features and Benefits:

Large 50-litre tank: Allows for longer operating cycles, reducing the frequency of the device's activation and increasing operational efficiency.

Maximum pressure of 8 bars: Suitable for powering pneumatic tools, inflating tyres, or cleaning various surfaces.

Mobility and Comfort: The ergonomic handle and sturdy transport wheels make it easy to move the device to different locations.

Safety and Durability: Protective covers and a ventilation system prevent overheating and ensure a long lifespan for the device.

Versatility: Perfect for home and workshop applications, such as powering staplers, nail guns, and other pneumatic tools.

Why Choose the HL 260-50?

Thanks to its versatility and durability, the 50L compressor HL 260-50 is an excellent choice for users in need of equipment for intensive and varied applications. It is the perfect solution for DIYers and professionals who value reliability and ease of use.

Trust Airpress quality and choose the HL 260-50, a reliable partner for daily challenges!



